

**KE** KIT

The component luminaire that suits your needs




**Mechanical**

**IK10 IP66 / IP69K**

- Profile** Extruded polycarbonate with UV protection  
Upper part dark grey RAL 7046 (available in different colours)  
Lengths available: from 300 mm to 2.400 mm
- End caps** Injected polycarbonate (available in different colours)
- Lever** Injected polyamide + 10% fibreglass  
Blue RAL 5012 (available in different colours)
- Gasket** Removable and recyclable thermoplastic elastomers
- Cable entry** Cable gland M20 (Optional M25 and M32)
- Fixing clips** Stainless steel

Connection ready for 3-8 poles WAGO quick connector

**Photometrical**





Robust for a wide range of temperatures



Sustainable lighting

Removable thermoplastic polyurethane (TPU) gasket with high resistance


Easy access to the gear tray

Different connection possibilities: electrical connection can be made on the side or on top of the luminaire

Innovative lever for a quick and safe mounting, prepared for vandal-proof environments

Specific version with high chemical resistance  
For corrosive environments ask our sales team

IP69K  
and  
IK10



KIT are presented in an individual box comprising:

- Profile
- Closing endcaps
- Lever
- Removable gasket
- Gear tray with springs and thread guides
- WAGO connectors slot (see accessories)
- Cable gland M20
- Accessory bag


### STANDARD VERSION

Description	Order number
KE 1.2 SKD PC 24mm	10228134
KE 1.5 SKD PC 24mm	10228135
KE 1.2 SKD PC clear 24mm	10239977
KE 1.5 SKD PC clear 24mm	10239978


### THROUGH WIRING VERSION

Description	Order number
KE 1.2 TW SKD PC 24mm	10228136
KE 1.5 TW SKD PC 24mm	10228137
KE 1.2 TW SKD PC clear 24mm	10239979
KE 1.5 TW SKD PC clear 24mm	10239980

#### STANDARD VERSION



#### THROUGH WIRING VERSION



Through wiring versions have two end caps, two levers, four springs and thread guides, two gaskets, one gear tray and two cable glands

## Accessories

Description	Order number
Connectors bag WAGO 3P	10239981
Connectors bag WAGO 5P	10239982
Connectors bag WAGO 8P	10239983
Suspension wire 2m hook and fastener, 1 unit <sup>1</sup>	10103049
Kit P-VW – Extensive photometrics 1.2	10252622
Kit P-VW – Extensive photometrics 1.5	10252623
Kit P-XW – Very extensive photometrics 1.2	10252624
Kit P-XW – Very extensive photometrics 1.5	10252625
Kit P-N – Intensive photometrics 1.2	10252626
Kit P-N – Intensive photometrics 1.5	10252627



For further information, see the photometrical section



<sup>1</sup> 2 units required per luminaire