

The component luminaire that suits your needs
















Mechanical		IK10	IP66 / IP69K	
Profile	Extruded polycarbonate with UV protection Upper part dark grey RAL 7046 (available in different colours) Lengths available: from 300 mm to 2.400 mm Injected polycarbonate (available in different			
End caps	colours)			
Lever	Injected polyamic Blue RAL 5012 (a		ibreglass different colours)	
Gasket	Removable and re elastomers	ecyclable	thermoplastic	
Cable entry	Cable gland M20	(Optional	M25 and M32)	
Fixing clips	Stainless steel			

Connection ready for 3-8 poles WAGO quick connector


















KIT are presented in an individual box comprising:

- Profile
- Closing endcaps
- Lever
- · Removable gasket
- · Gear tray with springs and thread guides
- WAGO connectors slot (see accesories)
- Cable gland M20
- Accesory bag

STANDARD VERSION				
Description	Order number			
KE 1.2 SKD PC 24mm	10228134			
KE 1.5 SKD PC 24mm	10228135			
KE 1.2 SKD PC clear 24mm	10239977			
KE 1.5 SKD PC clear 24mm	10239978			



THROUGH WIRING VERSION				
Description	Order number			
KE 1.2 TW SKD PC 24mm	10228136			
KE 1.5 TW SKD PC 24mm	10228137			
KE 1.2 TW SKD PC clear 24mm	10239979			
KE 1.5 TW SKD PC clear 24mm	10239980			



Through wiring versions have two end caps, two levers, four springs and thread guides, two gaskets, one gear tray and two cable glands





Modularity

Connect **up to 15 lighting units in one line**, thanks to its through wiring ready for dimmable versions and the easy and quick locking system between profiles.





With additional modules to improve project's energy efficiency:

- Wireless solution, to control the lighting installation remotely and without the need of rewiring.
- Presence and daylight sensor, to use the light only where and when it is really needed.

Accesories

Description	Order number
Connectors bag WAGO 3P	10239981
Connectors bag WAGO 5P	10239982
Connectors bag WAGO 8P	10239983
Suspension wire 2m hook and fastener, 1 unit ¹	10103049
Theft protection (required for wall mounting), set for 1 luminaire	10149442
ZBWM wall mounting accessory (allows luminaire rotation), 2 pieces set	10207593
Fixing clips in stainless steel 316L, 2 units	10256809
Kit P-VW – Extensive photometrics 1.2	10252622
Kit P-VW – Extensive photometrics 1.5	10252623
Kit P-XW – Very extensive photometrics 1.2	10252624
Kit P-XW – Very extensive photometrics 1.5	10252625

 $^{^{\}mathrm{1}}$ 2 units required per luminaire



10239981 / 10239982 / 10239983



10103049



10149442



10207593



10256809



Kit photometrics

