

The bio-based luminaire for a greener future


DUNA BIO

The new bio-based luminaire for a sustainable future


DUNA BIO is the new ZALUX luminaire based on DUNA FLEX and manufactured with bio-based polycarbonate.

This is our **statement of drive towards sustainability** with the use of recycled and recyclable materials, produced from renewable sources.

Thanks to the use of bio-based materials with biomass origin, we are able to connect resource supply chain management with waste management systems (from cradle to cradle), to move forward the circular economy, while contributing to reduce the use of fossil fuels.



Electronic, plastic and metal components can be segregated to contribute to recycling at the end of the product's lifetime



Bio-based plastics are recyclable, so their waste can be converted into new products or raw materials for further use



CHARACTERISTICS





RoHS REACH



Mechanical

IK08

IP66

Injected partly bio-based polycarbonate Housing Diffuser Injected partly bio-based polycarbonate Closing clips Stainless steel, unremovable

Gasket Polyurethane Cable entry Cable gland Fixing clips Stainless steel

Electrical



3/5 pole push wire terminal block Connection


Flicker factor

Functional

Lifetime L80 100,000 hours at 35°C

Photometrical

Luminous flux Up to 6,180lm Efficiency Up to 167lm/W



OPERATIONAL DATA

| Description | Reference | Luminous flux (lm) | Power (W) | Efficiency (lm/W) |
|-----------------------------------|-----------|-----------------------|--------------|----------------------|
| DBHE 1.2 42-840 ET IX-U CG | 10243456 | 4000 | 25 | 170 |
| DBHE 1.2 42-840 ET IX-U CG 5x2.5 | 10243459 | 4000 | 25 | 170 |
| DBHE 1.2 42-840 ET IX-U CG HFS FC | 10296020 | 4000 | 26 | 165 |
| DBHE 1.5 61-840 ET IX-U CG | 10243457 | 6000 | 35 | 176 |
| DBHE 1.5 61-840 ET IX-U CG 5x2.5 | 10243458 | 6000 | 35 | 176 |
| DBHE 1.5 61-840 ET IX-U CG HFS FC | 10296557 | 6000 | 36 | 170 |



What is DUNA BIO made of?

DUNA BIO housing and diffuser are made of a partly bio-based (>70%), technical polymer, with great properties.

 It has an excellent impact resistance, as well as high robustness.

This bio-based polycarbonate resin is derived primarily from biophenols and bioacetones **produced** from renewable resources, and the raw material is ISCC certified.



RFACT

against climate change and waste problems



RFUSF

plastics to reduce waste production



REINFORCE

the message of a more sustainable world



RECOMMIT

people to a cleaner future



REDESIGN

products and processes for a circular economy



Avda. Manuel Rodríguez Ayuso, 114 Centro Empresarial Miralbueno Planta 1ª – Local P2 E-50012 Zaragoza, Spain Tel.: +34 976 462 200 info@zalux.com





a subject to change Brochine DUNA BIO 20